



RAINBOW

Product Catalog

(800) 637-6047

www.RainbowTech.net



Since 1971, Rainbow Technology Corporation has been the provider of specialty products to some of the largest utilities and industries in the world. To meet the standards of these companies, one thing counts above all others: Performance. It's not enough to have "consumer-friendly" labeling or formulas — you must sell products that perform. We believe that the superior performance of our products gives you the best value for your money. That's the way we make performance really count!



RAINBOW TECHNOLOGY
SPECIALISTS IN UTILITY CHEMICALS
www.rainbowtech.net

CAULKS ENCAPSLANTS, FOAMS, AND SEALANTS

Duct Sealing Putty



Asbestos free sealer is a gray, permanently soft, non-toxic compound which will adhere to most clean dry surfaces. Will not harm polyethylene sheath cables. Will not adversely affect other plastic materials or corrode metals. Sealer is used primarily by the building, telecom, and electrical trade to seal around service entries, manholes, electrical boxes, flashings, and service mast conduits, etc. Can be shaped by hand to any form and reused if necessary. May be painted immediately after application and will not bleed through

the dry paint. Has a flash point of 590°F (310°C) and a dielectric strength of 100 Volts/mil. Excellent resistance to water, alcohols, mild acids, and bases. UL Classified.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-----------|--------------|------------|-------------|------------------|
| 79511 | 5 lb Pack | Each | 10 | 50 lbs | 12" x 12" x 9.5" |
| 79526 | 1 lb Pack | Each | 50 | 50 lbs | 12" x 12" x 9.5" |



Weld-It

WELD-IT is a two component epoxy adhesive. Part A is a black Resin paste and Part B is a white Hardener paste. It is a rapid setting epoxy paste which produces strong bonds in a short period of time. It is ideally suited for bonding small parts and for repair work. Excellent adhesion to wood, metal, plastic, fiberglass, PVC, and ceramic. Once cured, it can be drilled, tapped, sanded, heated, and painted. Reduces labor costs by onsite repair.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-------------------------|--------------|------------|-------------|--------------|
| 79496 | Box of 2 - 4.5 oz Tubes | Each | 24 Boxes | 10 lbs | 9" x 6" x 4" |

Pole Setting Foam



THE BASICS:

- POLE SETTING FOAM saves money and increases efficiency. It replaces traditional methods of backfilling distribution poles, transmission poles, and decorative street lighting during installation.
- POLE SETTING FOAM is a hydrophobic two-part polyurethane foam that expands to fill the peripheral void between a utility pole and the hole. It forms a low-density, high-strength foam that can structurally support the pole and maintain its upright positioning. POLE SETTING FOAM also serves as a redundant environmental barrier between the pole material and its surroundings.
- Because POLE SETTING FOAM is hydrophobic, its physical properties will not be affected by wet soil or small amount of standing water in the hole; however, we recommend the standing water does not exceed 2" with the structure in the hole.
- POLE SETTING FOAM displays excellent adhesion to most pole materials, including wood poles treated with pentachlorophenol, CCA, ACA, etc. and without the use of primers. After mixing, it foams immediately and reaches 50% of full strength in approximately 3 minutes and 80% within 60 minutes. Once poured, the POLE SETTING FOAM expands approximately 15 times its original volume and sets the pole in 3 minutes creating a proven solid foundation material. It removes the need to backfill by traditional methods and the "tamping" associated with it.
- POLE SETTING FOAM significantly reduces labor requirements as no backfilling is required and hardware can be strung after 15 minutes.

FEATURES:

- Fast-setting high-quality foam
 - Expanding foam fills in all voids
 - Environmentally friendly (does NOT contain CFC's)
 - Excellent adhesion on all pole types; wood, concrete, fiberglass, steel, and decorative street lighting
 - Hydrophobic - insensitive to water

APPLICATIONS:

- Use POLE SETTING FOAM for:
 - New poles - transmission and distribution
 - Leaning poles
 - Storm damage rehab
 - Urban pole locations
 - Difficult installations
 - Street lighting poles
 - Dusk to dawn light poles
 - Gate and fence post
 - Highway DOT sign post
 - Pad leveling



| FEATURES | HOW YOU BENEFIT |
|--|--|
| Provides an environmental barrier between the pole and the soil | Helps prevent ground line decay |
| Superior to stone in resistance to overturning and equal to crushed stone against uplift | Eliminates the need to transport heavy rock and stone backfill |
| Hardens quickly (10 - 15 minutes) with compressive strengths three to four times that of tamped soil | Poles are set faster, thus restoring service to the customer quicker and with added strength |

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|------------------|--------------|------------|-------------|-----------------------|
| 79701 | 1 Cubic Foot Kit | Kit | 2 | 5 lbs | 12.5" x 12.5" x 12.5" |
| 79702 | 2 Cubic Foot Kit | Kit | 1 | 12 lbs | 12.5" x 12.5" x 12.5" |
| 79703 | 3 Cubic Foot Kit | Kit | 1 | 15 lbs | 12.5" x 12.5" x 12.5" |
| 79705 | 5 Cubic Foot Kit | Kit | 1 | 28 lbs | 22.5" x 15.5" x 15" |
| 79706 | 6 Cubic Foot Kit | Kit | 1 | 35 lbs | 22.5" x 15.5" x 15" |
| 79707 | 7 Cubic Foot Kit | Kit | 1 | 50 lbs | 22.5" x 15.5" x 15" |
| 79709 | 9 Cubic Foot Kit | Kit | 1 | 54 lbs | 2 - 5 Gallon Pails |

Quick Seal Expanding Foam

A single-component polyurethane foam used as an insulating sealant and for adhesive applications. Stops air infiltration, minimizes outdoor noise, prevents pest infiltration, prohibits transmission of odor, and minimizes allergy irritants.



| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-----------|--------------|------------|-------------|--------------------|
| 79547 | 16 oz Can | Case | 12 | 13 lbs | 11.5" x 10" x 8.5" |

RTV Clear Silicone Sealant

A barely visible, clear RTV silicone sealant in a convenient pressurized package. Designed to provide a wide range of sealing, bonding, protecting, and waterproofing applications. Excellent alternative to messy tubes. Temperature range: -60°F (-51°C) to 400°F (204°C). Dispenses a consistent uniform bead.



| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-----------|--------------|------------|-------------|--------------|
| 88000 | 8 oz Can | Case | 12 | 10 lbs | 7" x 9" x 9" |

FIBER OPTIC CLEANERS

Fiber Optic Cleaning Solution

99% Isopropyl Alcohol and 1% deionized water specifically formulated for use on delicate fiber optic cable and associated equipment. Apply to lint-free, non-abrasive wipes, or swabs for cleaning optical surfaces, precision instruments, tools, and electronic equipment. This ideal choice solution evaporates completely leaving no residue.



| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|--------------|--------------|------------|-------------|------------------------|
| 4010 | 16 oz Bottle | Case | 12 | 12 lbs | 10" x 7.75" x 8.5" |
| 4016 | 1 Gallon | Case | 4 | 29 lbs | 12.75" x 12.5" x 12.5" |

Fiber Optic Cleaning Kits

A complete kit of products designed to aid in the cleaning of fiber optic cable, fusion splicers, and tools used in fiber optic splicing. A must for technicians who splice fiber optic cable.



Kit 4001 Includes: 100 Fiber Optic Swabs - foam tip (4006), 1 Fiber Optic Cleaning Solution - pint (4010), 1 Push-Top Dispenser (4011), 300 Fiber Optic Cleaning Wipes - dry (4012), 1 can of Rainbow Air (Duster)(4028), and a white

tote bag (4001B).

Kit 4001A Includes: 100 Fiber Optic Swabs - double-ended (4000), 1 Fiber Optic Cleaning Solution - pint (4010), 1 Push-Top Dispenser (4011), 300 Fiber Optic Cleaning Wipes - dry (4012), 1 can of Rainbow Air (Duster) (4028), and a white tote bag (4001B).

Kit 4001PAC Includes: 20 Fiber Optic Cleaning Wipes - premoistened (4002), 1 Fiber Optic Cleaning Solution - pint (4010), 1 Push-Top Dispenser (4011), 300 Fiber Optic Cleaning Wipes - dry (4012), 50 Fiber Optic Swabs - foam tip (4006), 50 Fiber Optic Swabs - small (4006PAC), 1 can of Rainbow Air (Duster) (4028), and a white tote bag (4001B).

Kit 4015 Includes: 50 Fiber Optic Wipes - premoistened (4002), 10 Fiber Optic Swabs - micro-tip (4008), 1 Fiber Optic Cleaning Solution - pint (4010), 1 Push-Top Dispenser (4023), 300 Fiber Optic Wipes - dry (4012), 1 can of Rainbow Air (Duster) (4028), and a white tote bag (4001B)

| Product Number | Unit Size | Ordering UOM | Units/ Case | Case Weight | Case Size |
|----------------|-----------|--------------|-------------|-------------|------------------|
| 4001 | Kit | Kit | 1 Kit | 4 lbs | 6" x 8.5" x 8.5" |
| 4001A | Kit | Kit | 1 Kit | 4 lbs | 6" x 8.5" x 8.5" |
| 4001PAC | Kit | Kit | 1 Kit | 4 lbs | 6" x 8.5" x 8.5" |
| 4015 | Kit | Kit | 1 Kit | 5 lbs | 6" x 8.5" x 8.5" |



Fiber Optic Cleaning Swab (Double-ended)

Double-ended cotton-tipped swabs designed for soft brushing of delicate surfaces and accessibility into small, hard-to-reach areas. Lint-free and non- abrasive. Various sizes available, call for specifications.

| Product Number | Unit Size | Ordering UOM | Units/ Case | Case Weight | Case Size |
|----------------|-------------|--------------|-------------|-------------|--------------|
| 4000 | Pack of 100 | 1 Pack | 5 Packs | 1 lbs | 9" x 6" x 4" |



Fiber Optic Cleaning Swab (Foam-Tipped)


Foam-tipped swabs designed for soft brushing of delicate surfaces and accessibility into small, hard-to-reach areas. Lint-free and non-abrasive. Various sizes available, call for specifications.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|------------|--------------|------------|-------------|--------------|
| 4006 | Pack of 50 | Case | 10 Packs | 1 lbs | 9" x 6" x 4" |

Fiber Optic Cleaning Swabs (Small)

Lint-free, non-abrasive small swabs designed for soft brushing of delicate surfaces and accessibility into small, hard-to-reach areas. Various sizes available, call for specifications.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|------------|--------------|------------|-------------|--------------|
| 4006PAC | Pack of 50 | Case | 10 Packs | 1 lbs | 9" x 6" x 4" |



Fiber Optic Swabs (Micro-Tip)

Micro-tip swabs designed for soft brushing of delicate surfaces and accessibility into small, hard-to-reach areas. Lint-free and non-abrasive. Various sizes available, call for specifications.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|------------|--------------|------------|-------------|--------------|
| 4008 | Pack of 10 | Case | 12 Packs | 1 lbs | 9" x 6" x 4" |

Wooden Handle 6"

Excellent for use during fiber optic cleaning applications. This 6 inch swab offers a tightly wound tip that permits an easy application without fiber residue.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-------------|--------------|------------|-------------|-----------|
| 50070 | Pack of 100 | Pack | 1 Pack | .1 lb | N/A |

Cotton Tip Swab with





Fiber Optic Wipes (Dry)

Lint-free, non-abrasive 4" x 4" pad used for cleaning optical surfaces, precision instruments, tools, and electronic equipment. use with Fiber Optic Cleaning Solution (4010, 4016, or 4009).

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-----------|--------------|------------|-------------|-----------------------------|
| 4012 | 300 Pads | Case | 16 Packs | 9 lbs | 18" x 8.25" x 6.5" per Pack |



Fiber Optic Wipes (Premoistened)

A premoistened, lint-free, non- abrasive 3" x 4" wipe saturated with 99% Isopropyl Alcohol and 1% deionized water, the same effective solvent found in our Fiber Optic Cleaning Solution. The pure optical grade solvent, leaves no residue, evaporates quickly, and is safe on plastics. Applications include; fiber optic strands, connectors, mirrors, optical surfaces, tape heads, printed circuit boards, relays, and associated equipment.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-----------|--------------|------------|-------------|---------------|
| 4002 | Bag of 50 | Case | 4 Bags | 3 lbs | 7" x 4" x 11" |



Push-Top Dispenser

An easy-to-use, non-breakable, spill proof, and sealable push-top bottle with plastic cap for dispensing Fiber Optic Cleaning Solution. Holds up to 8 oz.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-------------|--------------|------------|-------------|-------------------|
| 4011 | 8 oz Bottle | Each | 12 | 2 lbs | 11" x 8.5" x 6.5" |



Pump-Top Dispenser

Air-tight, stainless steel pump units have check-valve that prevents leaking. Will not tip over. Pump locks in closed position to allow transportation without spilling. Ideal for dispensing Fiber Optic Cleaning Solution.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-------------|--------------|------------|-------------|--------------|
| 4023 | 4 oz Bottle | Case | 12 | 1 lbs | 9" x 6" x 4" |

Rainbow Air (Duster)

Safe for use on all electronic equipment, optical surfaces, and precision instruments for removing dust particles or moisture. Leaves no residue. Plastic extension tube on each can for precise application in hard- to-reach cracks and crevices in central offices and other areas.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-----------|--------------|------------|-------------|---------------|
| 4028 | 10 oz Can | Case | 12 | 11 lbs | 9" x 7" x 11" |



Rainbow Air (Duster) Kit

Contains 1 - 10 oz can of Rainbow Air (Duster) (4028) with 35" extension hose for removing dust and contaminants from hard-to-reach cracks and crevices in central offices and other areas.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-----------|--------------|------------|-------------|----------------|
| 4032 | Kit | Case | 12 | 12 lbs | 13" x 10" x 8" |



Fiber Optic Cleaner – Metered Spray

Cleans various soil types effectively. Safe for plastics, high-pressure aerosol formulation clean areas and evaporates quickly, leaving no residue. Provides 40 microliters per spray for over 1,000 sprays per bottle, giving greater efficiency and less waste. Non-corrosive. VOC-compliant.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-------------|--------------|------------|-------------|------------------|
| 3994 | Aerosol Can | Each | 12 | 1.65 lbs | 6.5" x 5" x 5.5" |



HAND CLEANERS AND PROTECTION

Knuckles Hand & Tool Cleaning Towels

KNUCKLES Hand & Tool Cleaning Towels are specially formulated to dissolve and absorb dirty contaminants from hands, tools, and equipment. The towels are textured on one side allowing the user to tough-to-clean contaminants such as cable filling compounds, icky pic, c-cement, tar, asphalt, heavy greases, etc. The other side is smooth which works to trap and absorb the cleaner and dirty contaminants back into the towel, leaving hands, tools, and equipment surfaces clean. Tested safe on rubber goods.



| Product Number | Unit Size | Ordering UOM | Units/ Case | Case Weight | Case Size |
|----------------|-------------------------|--------------|-------------|-------------|-----------------------|
| 79315 | Bucket of 80 Towelettes | Case | 6 Buckets | 17 lbs | 20" x 13.25" x 12.25" |
| 79316 | Towelettes | Case | 144 | 4 lbs | 9.5" x 7" x 9.25" |



Knuckles Waterless Hand Cleaners

Highly effective hand cleaner that cuts dirt and other contaminants. Available with scrubbers (RTC #4743) and without scrubbers (RTC #4742). These "scrubbers" aid in cutting tough grease and grime, but will not scratch the skin or harm polished surfaces.

| Product Number | Unit Size | Ordering UOM | Units/ Case | Case Weight | Case Size |
|----------------|----------------------------|--------------|-------------|-------------|----------------------|
| 4742 | 16 oz Bottle w/o Scrubbers | Case | 12 | 14 lbs | 10.5" x 7.5" x 9" |
| 4743 | 16 oz Bottle w/ Scrubbers | Case | 12 | 14 lbs | 10.5" x 7.5" x 8.75" |



Anti-Static Hand Lotion

A non-contaminating hand lotion which contains no lanolin, silicone, or mineral oil to inhibit solderability of printed circuits and components. Leaves no residue on fiber optic splices. Softens and moistens hands that are irritated and chapped. use for ESD protection in the central office.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-------------|--------------|------------|-------------|--------------------|
| 4007 | 8 oz Bottle | Case | 12 | 7 lbs | 8.5" x 6.5" x 7.5" |

CLEANERS

Precision Cleaner



The next generation in precision cleaners. This unique blend of high-purity solvents is designed to meet the utility and telecom industries' strict performance requirements. Since it is safe on plastics and metals and has no flash point, it offers universal and unlimited applications for cleaning all types of electrical and electronic contacts and parts. Evaporates rapidly with no residue and will not crack plastics.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-----------|--------------|------------|-------------|--------------------|
| 41030 | 16 oz Can | Case | 12 | 12 lbs | 11" x 8.5" x 10.5" |

Heavy-Duty Glass and Surface Cleaner



Formulated to remove tough soils from a variety of surfaces. The powerful, high foaming action clings to the surface while dissolving dirt, grease, and grime. The non-streaking formula contains no ammonia and has a pleasant fragrance. Ready to use, it easily removes stubborn soil quickly from all glass and plastic surfaces.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Wt. | Case Size |
|----------------|----------------------------|--------------|------------|----------|---------------------|
| 77212 | 20 oz Can | Case | 12 | 19 lbs | 11.25" x 8.5" x 10" |
| 77214 | 22 oz Trigger Spray Bottle | Case | 12 | 20 lbs | 12" x 9" x 10" |
| 77215 | 16 oz Trigger Spray Bottle | Case | 12 | 15 lbs | 10" x 10.5" x 7.5" |


TELECOM CABLE CLEANERS

GEL OFF® PLUS



Quickly and safely removes filling and flooding compounds, gels, greases, c-cement, and other petroleum based contaminants from telecommunication cables, splices, and utility work tools. After cleaning, a patented preservative coating is left on the cable to prevent PIC cable degradation. Tested per Bellcore/Telcordia Specifications.

| Product Number | Unit Size | Ordering UOM | Units/ Case | Case Weight | Case Size |
|----------------|-----------|--------------|-------------|-------------|----------------------|
| 4217 | Towelette | Case | 144 | 7 lbs | 12" x 10.5" x 9" |
| 42130 | Quart | Case | 12 | 25 lbs | 14" x 10.75" x 10.5" |
| 42133 | 3 Quarts | Case | 12 | 25 lbs | 14" x 10.75" x 10.5" |
| 87042 | 20 oz Can | Case | 12 | 12 lbs | 11" x 8.5" x 10" |
| 4213-55 | Drum | Drum | 1 | 700 lbs | 55 Gallon Drum |



GEL OFF® CABLE CLEANER TOWELETTES

Tests performed at Telcordia (Bellcore) prove compatibility with PIC insulation. It is the **ONLY** telecom cable cleaner that has been laboratory tested and shown **NOT** to reduce the expected service life of PIC cable when used to remove cable gels and blocking compounds from the exposed PIC insulation.

Rainbow's patented GEL OFF® CABLE CLEANER is a unique blend of technologically advanced ingredients. It is a citrus formula that quickly and safely removes filling and flooding compounds, gels, greases, c-cement, lubricants, water-blocking compounds, and other petroleum-based contaminants from telecommunication cables, splices, and utility work tools. GEL OFF® CABLE CLEANER is also CARB-Compliant.

Because GEL OFF® CABLE CLEANER LEAVES A PRESERVATIVE COATING ON THE CABLE, it helps prevent PIC cable degradation.

| Product Number | Unit Size | Ordering UOM | Units/ Case | Case Weight | Case Size |
|----------------|-----------|--------------|-------------|-------------|------------------|
| 4200 | Towelette | Case | 50 | 2 | 6.5" x 4" x 5.5" |

Weed Killer

A total kill non-selective granular herbicide for controlling a wide range of annual and perennial weeds and grasses. Recommended for general weed control around buried cable closures, telephone booths, cross-connect boxes, transformer pads, fire plugs, and utility poles. Convenient bags are premeasured for single application. Rate of application: 0.5 to 1 pound per 100 square feet, 200 to 450 lbs per acre. Can be used and offered for sale in the State of California. Active Ingredients: 2% Tebuthiuron, 6% Diuron, 92% Inert.



| Product Number | Unit Size | Ordering UOM | Units/ Case | Case Weight | Case Size |
|----------------|-------------|--------------|---------------------|-------------|-------------------|
| 4037 | 8 oz Bag | Case | 50 | 27 lbs | 10' x 10' x 13.5' |
| 4037P | 40 lb Pail | Pail | Pail | 40 lbs | 3.5 Gallon Pail |
| 4037S | 4 lb Shaker | Each | 6 - 4 lb cont./case | 25 lbs | 9" x 5.5" x 6" |



Quick-Kill Weed Killer

This ready-to-use weed and grass killer provides rapid knockdown and killing power for weeds and unwanted vegetation in and around buried cable closures, telephone booths, cross- connect boxes, transformer pads, fire plugs, or any area where weeds are a problem. The special upside-down spray button provides an easy and accurate application in hard-to-reach areas. Contains 2, 4-D, and Bromacil. This combination insures a non-selective rapid top kill of all weeds and will also prevent future growth for up to one growing season. EPA registered solvent-based weed killer.

| Product Number | Unit Size | Ordering UOM | Units/ Case | Case Weight | Case Size |
|----------------|-----------|--------------|-------------|-------------|-------------------|
| 40425 | 20 oz Can | Case | 12 | 18 lbs | 11.5" x 9" x 8.5" |

INSECTICIDES

Fire Ant & Insect Killer



This multi-use granular insecticide is ideal for long-lasting control of fire ants and other insects in and around telecom and utility equipment. It provides years of control in and around equipment such as pedestals, cross-connect boxes, CATV boxes, buried cables, pad-mounted transformers, substations, and underground vaults. Because it is non-conductive and non-corrosive, it is safe for equipment and personnel. The 2.1 lb and 6 lb shaker container with an adjustable lid is an ideal choice for pre-treating construction sites for pad-mounting equipment.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|---------------|--------------|------------|-------------|--------------------|
| 4480 | 4 oz Bag | Case | 100 | 30 lbs | 18.5" x 9.5" x 12" |
| 4483 | 6 lb Shaker | Case | 5 | 30 lbs | 15.5" x 12" x 12" |
| 4484 | 2.1 lb Shaker | Case | 12 | 25 lbs | 17.5" x 13.5" x 8" |

Insect Tag II



Multi-Bug III

Contains two very effective active ingredients that provide immediate knockdown and a long-lasting residual insecticide for up to four weeks. Kills existing infestation and prevents reinfestation in manholes, handholds, storerooms, and workrooms. Water based formula controls a wide array of crawling, stinging, biting, and disease carrying insects.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-----------|--------------|------------|-------------|--------------------|
| 4340 | 20 oz Can | Case | 12 | 17 lbs | 8.5" x 10" x 11.5" |



Telco & Power Wasp & Ant Spray

Because our spray contains one of the most powerful active ingredients, it quickly knocks down flying and stinging insects. This superior solvent-based product is safe for use in and around utility and telecom equipment. The high output shotgun spray pattern delivers a high percentage of the formula to the target from a safe distance of 15 feet. It also has the highest dielectric strength (62 kV) available to ensure a greater safety when working around medium to high voltage. NEETRAC and Bell-core/Telcordia tested.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-----------|--------------|------------|-------------|-------------------|
| 88500 | 20 oz Can | Case | 12 | 13 lbs | 12" x 9" x 10.25" |



Wasp & Ant Killer

This spray is very effective anytime dangerous insects threaten the safety of personnel in utility, industrial, or telecom applications. This solvent based product contains three powerful, fast-acting ingredients for quick knockdown. The high-output spray pattern effectively delivers a high percentage of the formula to the target from a safe distance of 15 feet or more. It is effective in many areas including inside pad-mounted transformers as well as around and inside pull boxes and meter boxes. It has a dielectric strength of 47,300 Volts.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-----------|--------------|------------|-------------|---------------|
| 4335 | 20 oz Can | Case | 12 | 13 lbs | 12" x 9" x 9" |

PAINTS

Marking Paint (Solvent-Based)

Excellent for use in marking construction areas, excavation sites, traffic safety, athletic sites, survey crews, utility line, buried cables, and much more. May be used on asphalt, concrete, gravel, dirt, and grass. unique upside-down spray system for application versatility. High solids formula produces a highly visible coating. Lead-free, VOC compliant formula. Coating lasts approximately 30-90 days, depending on environmental conditions. Available in all APWA colors - please inquire.

Colors Available:

4661 Electric Red

4662 Gas Yellow

4663 Communications Orange

4664 Intent White

4665 Water Blue

4666 Black

4667 Fluorescent Red

4668 Sewer Green



Marking Paint (Water-Based)

Excellent for use in marking construction areas, excavation sites, traffic safety, athletic sites, survey crews, utility line, buried cables, and much more. May be used on asphalt, concrete, gravel, dirt, and grass. unique upside-down spray system for application versatility. High solids formula produces a highly visible coating. Lead-free, VOC compliant formula. Coating lasts approximately 14-60 days, depending on environmental conditions. Available in all APWA colors - please inquire.

Colors Available:

4629 Communications Orange

4630 Alert Orange

4631 Water Blue

4632 Fluorescent Red

4633 Gas Yellow

4634 Sewer Green

4635 Electric Red

4636 Intent White

4637 Fluorescent Hot Pink

4639 Black



| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-----------|--------------|------------|-------------|-----------------|
| Paint | 20 oz Can | Case | 12 | 17 lbs | 8" x 8.5" x 11" |

Marking Paint Applicator



Designed for use with Rainbow's upside-down marking paints. Will hold 16 oz and 20 oz aerosol cans. Constructed of durable, rugged plastic and aluminum with a 34" overall length, a detachable wheel, and a comfortable pistol grip.

| Product Number | Unit Size | Ordering UOM | Units/ Case | Case Weight | Case Size |
|----------------|-----------|--------------|-------------|-------------|-------------------|
| 4311 | Each | Each | 1 | 2 lbs | 4.5" x 5.5" x 31" |

PERSONAL PROTECTION



Utility Sunscreen

Industry recommended SPF 30. Can stay in sun 30 times longer without burning. Designed for all day protection from the harmful rays of the sun. Waterproof, resists sweating, and moisture. Greaseless, dries rapidly, will not affect one's hand grip nor, come off on tools and equipment. Specially formulated for the Telecom and utility industries. One application lasts all day. Tested safe on Rubber Gloves. Available in 2 oz pump spray, 4 oz bottle, or lotion pouch and is packaged 100 pouches per disposable wall mount dispenser box.

| Product Number | Unit Size | Ordering UOM | Units/ Case | Case Weight | Case Size |
|----------------|-------------|--------------|----------------|-------------|---------------------|
| 4022 | 4 oz Bottle | Case | 12 | 4 lbs | 8" x 6.5" x 8.5" |
| 40223 | 2 oz Pump | Case | 24 | 4 lbs | 8" x 4.5" x 8.5" |
| 40230 | Pouch | Case | 3 Boxes of 100 | 2 lbs | 11.25" x 8.75" x 6" |

Jungle Formula Insect Repellent



A multi-purpose repellent that repels gnats, mosquitoes, biting flies, chiggers, ticks, flying insects, plus fleas on skin surfaces. Contains extra strength 25% DEET formula. Prevents unsafe insect distractions. Stops persistent biting and piercing insects. **It is effective against mosquitoes that spread Zika, dengue and chikungunya viruses. It is even effective against the ticks that carry Lyme Disease, Rocky Mountain Spotty Fever, and West Nile Virus.** Long-lasting protection, frequent applications not necessary. Extra protection formula for telecom and utility personnel. Not for use on FR Clothing. The use of Jungle Formula Insect Repellent on exposed skin areas, along with Tick & Mosquito Repellent for FR Clothing (4507) gives you ultimate protection against mosquitoes, ticks, etc.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-----------|--------------|------------|-------------|---------------|
| 4501 | 6 oz Can | Case | 12 | 8 lbs | 7" x 7" x 9" |
| 4508 | Towelette | Case | 200 | 2 lbs | 13" x 9" x 9" |



Lens Cleaning Towelette

Individually packaged premoistened lens cleaning towelettes. Anti-static, and anti-fog formula. Contains no silicone. For use on glass, plastic, or polycarbonate safety glasses and computer screens. Not for use on contact lenses.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-----------|--------------|------------|-------------|------------------|
| 43035 | Towelette | Case | 1000 | 2 lbs | 2.5" x 6" x 6.5" |

Lens Kleener



Developed for field personnel who require maximum vision clarity. Removes cable filling compounds and other common workplace lubricants and particles from eyewear. It is a strong anti-static, anti-fogging formula that keeps lenses cleaner longer while repelling dust and dirt. Pocket sized, pump action application allows fast, easy cleaning for plastic and glass. Safe on plastic and glass eyewear lenses. Works with common optical cleaning wipes. Not for use on contact lenses or "AR" coated lenses.

| Product Number | Unit Size | Ordering UOM | Units/Case | Case Weight | Case Size |
|----------------|-------------|--------------|------------|-------------|----------------------|
| 4301 | 1 oz Bottle | Case | 24 | 2 lbs | 6" x 5" x 5.5" |
| 43020 | 4 oz Bottle | Case | 36 | 15 Lbs | 10.5" x 9.25" x 8.5" |

Disinfectant Spray

This product meets EPA's criteria for use against SARS-CoV-2, the virus that causes COVID-19. This product is for use on surfaces, NOT humans. An EPA registered disinfectant & deodorant that kills Tubercule Bacilli, E. Coli, Herpes Simplex Types 1 & 2, Salmonella enterica, Staphylococcus aureus, Avian Influenza A virus (H5N1), Methicillin-resistant Staphylococcus aureus, Pandemic 2009 H1N1 Influenza A Virus and more. Inactivates HIV 1 (AIDS virus) on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids. Contains a blend of powerful phenolic germicides.



| Product Number | Unit Size | Ordering UOM | Units/ Case | Case Weight | Case Size |
|----------------|-------------|--------------|-------------|-------------|------------------|
| 78855 | Aerosol Can | Each | 12 | 16.3 lbs | 11.5" x 8" x 10" |



Foaming Germicidal Cleaner

This water based aerosol combines butyl, surfactants & emulsifiers with a quaternary germicide to provide heavy duty cleaning of many areas. Safe for use on all bathroom surfaces. Will not harm chrome or metal surfaces. Virucidal against Canine Parvovirus, HIV-1 (AIDS Virus) & Herpes Simplex Type 1 & 2. Kills Staphylococcus aureus, Pseudomonas aeruginosa, Salmonella enterica, mold, mildew & fungus. COVID-19 is caused by SARS-CoV-2. This EPA registered product kills similar viruses & therefore can be used against SARS-CoV-2 when used in accordance with the directions for use on hard, non-porous surfaces.

| Product Number | Unit Size | Ordering UOM | Units/ Case | Case Weight | Case Size |
|----------------|-------------|--------------|-------------|-------------|------------------|
| 71531 | Aerosol Can | Each | 12 | 18 lbs | 11.5" x 8" x 10" |



Instant Hand Sanitizer

Instant Hand Sanitizer is a waterless, antibacterial hand gel with moisturizers, Aloe Vera, and Vitamin E. Kills 99.99% of germs without water or towels. Sanitizes within 15 seconds. To decrease bacteria on hands, apply small amount to palm and briskly rub covering hands with product until dry.


| Product Number | Unit Size | Ordering UOM | Units/ Case | Case Weight | Case Size |
|----------------|-------------|--------------|-------------|-------------|------------------|
| 7152 | 8 oz Bottle | Case | 12 | 7 lbs | 8" x 6.5" x 7.5" |



Since 1971, Rainbow Technology Corporation has been the provider of specialty products to some of the largest utilities and industries in the world. To meet the standards of these companies, one thing counts above all others: Performance. It's not enough to have "consumer-friendly" labeling or formulas — you must sell products that perform. We believe that the superior performance of our products gives you the best value for your money. That's the way we make performance really count!



RAINBOW TECHNOLOGY
SPECIALISTS IN UTILITY CHEMICALS
www.rainbowtech.net



RAINBOW

Rainbow Technology Corporation

(800) 637-6047

www.RainbowTech.net